	1496
	APPLICATION FOR PERMIT Serial No.
D-+-	TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA of first receipt and filing in State Engineer's office
pate Retui	of first receipt and filing in State Engineer's office JUN 16 1953
Corre	cted application filed
	CONSTANT MINERAL SERADATION PROCESS INC
	The undersigned CONSTANT MINERAL SEPARATION PROCESS, INC. Name of applicant
of P	O. Box 1607, Reno, County of Washoe
State	of Nevada , hereby make application fo
	ission to appropriate the public waters of the State of Nevada, as
here	inafter stated. (If applicant is a corporation, give date and plac
of i	corporation.)
čli	
	The source of the proposed appropriation is Name of stream, lake, or other source
1	OUTLAW SPRING
2. :	The amount of water applied for is 5.0 second-feet
3 - 1	The water to be used for Mining, Milling & Domestic
	Irrigation, power, mining, manufacturing, domestic, or other use
	The water is to be diverted from its source at the following point:
	NW4 Sec. 11, T. 33 N, R. 29 E., M.D.B.&M. as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated
	IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:
(a)	Number of acres to be irrigated is
(b)	Description of land to be irrigated
	Describe by legal subdivision, or if on unsurveyed land it should
bes	stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.
<u>†</u>	
<u> </u>	
(c)	Use will begin about, of each year.
!! !!	
	IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION
(d)	Power to be developed ishorsepower.
(e)	Place of use Portions of Secs. 28, 33 & 34, T. 34 N. R. 29 E.and
	ecs. 3 & 4, T. 33 N., R. 29 E., M.D. B. C.W.
(f)	Point of return of water to stream Describe in same manner as point of diversion
(g)	State number and kinds of animals to be watered
/ - \	Use will begin about Jan. 1 and end about Dec. 31, of each year.
(h)	Month Month Month

(i)

DESCRIPTION OF PROPOSED WORKS

1	is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.
	is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with the reservoir should be given with
:	
	Estimated cost of works\$2000
Ì.	
	Estimated time required to construct works 3 years
	Remarks
	For use of applicant
s	
01	nstant Minerals Separation , Applicant.
	Process, Inc. By /s/ Maurice Constant
i .	
mŗ	pared
is	s sheet inspected
· ·	, Engineer.
	OF STATE ENGINEER
	This is to certify that I have examined the foregoing application
	do hereby grant the same, subject to the following limitations and
α	do hereby grant the same, subject to the following limitations and
	ditions:
	amount of water to be appropriated shall be limited to the amount
ic	amount of water to be appropriated shall be limited to the amount
io bi	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second.
io bi	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second.
io bi	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second.
io bi	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second.
ti ti	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed ic feet per second. The construction work shall begin on or before the commencement of work shall be filed before the commencement of work shall be filed before the completed on the complete
io bi tu oc rl	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second. The construction work shall begin on or before of of commencement of work shall be filed before that the prosecuted with reasonable diligence and be completed on ore
ic bi tu co	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed ic feet per second. The construction work shall begin on or before the commencement of work shall be filed before the commencement of work shall be filed before the completed on the complete
ic bi tu oc rl	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second. The construction work shall begin on or before of of commencement of work shall be filed before that the prosecuted with reasonable diligence and be completed on ore
ic bi tu oc rl cc	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed to feet per second. The construction work shall begin on or before to fore the commencement of work shall be filed before to must be prosecuted with reasonable diligence and be completed on the complete of of completion of work shall be filed before the complete of of completion of work shall be filed before the complete on the complete of the complete o
tu oc rl fc	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed ic feet per second. Inal construction work shall begin on or before
tu tu rl fo	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed to feet per second. The construction work shall begin on or before to fore the commencement of work shall be filed before to must be prosecuted with reasonable diligence and be completed on the complete of of completion of work shall be filed before the complete of of completion of work shall be filed before the complete on the complete of the complete o
tu tu for	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed ic feet per second. The construction work shall begin on or before to commencement of work shall be filed before to must be prosecuted with reasonable diligence and be completed on the completion of work shall be filed before to the completion of water to beneficial use shall be made on or before to the proof of the application of water to benefic must be filed with State Engineer on or before to the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the complete
ti ti orl orl oppl	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed to feet per second. The construction work shall begin on or before to commencement of work shall be filed before to must be prosecuted with reasonable diligence and be completed on the completion of work shall be filed before to beneficial use shall be made on or before to be filed with State Engineer on or before to benefic must be filed with State Engineer on or before to be shall be made on or before to with State Engineer on or before to be shall be shall be shall be shall be shall be made on or before to be shall be sh
tu orl e	amount of water to be appropriated shall be limited to the amount of can be applied to beneficial use, and not to exceed ic feet per second. The construction work shall begin on or before to commencement of work shall be filed before to must be prosecuted with reasonable diligence and be completed on the completion of work shall be filed before to the completion of water to beneficial use shall be made on or before to the proof of the application of water to benefic must be filed with State Engineer on or before to the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the application of water to benefic must be filed with State Engineer on or before the complete of the complete
tu tu for p	amount of water to be appropriated shall be limited to the amount on can be applied to beneficial use, and not to exceed ic feet per second. That construction work shall begin on or before of of commencement of work shall be filed before and be completed on one of or completion of work shall be filed before of or completion of work shall be filed before of a completion of work shall be filed before of the application of water to benefic must be filed with State Engineer on or before witness MY HAND AND SEAL this cancelled MIG 2 3 1954